

or M solution

The DLAr solution pair record in the accurate the rate of the concord in the accurate the rate of the concord in accurate the rate of the concord accurate the record accurate the accurate accurate and accurate the accurate of the accurate accurate accurate of the accurate accurate accurate of the accurate the accurate of the solution of accurate accurate of the solution of accurate ac

ScanSnap iX500

- The scanner that intuitively guides you through every step of the scanning process
- Access your documents anywhere and anytime
 - Scan to and view across a range of popular cloud services
 - Wirelessly scan to your PC, Mac, iPad®/ iPhone®, Android™and Kindle™ devices
- A host of automated settings designed for effortless scanning
- Scan your everyday documents from business cards to A4 and even A3
- Scan to: Word, Excel[®], E-mail and SharePoint[®] amongst others





shaping tomorrow with you



ScanSnap iX500




"Total support" from digitisation through to application

Simple, Speedy & Compact!

Easily digitises paper based data with the touch of one button

The iX500 facilitates simple PDF generation with the following one touch activated automatic settings and automatic image correction functions:

Blank page detection



Speedy

Just place a document in the scanner's paper chute, press the "scan" button, and the iX500 starts scanning right away. Furthermore, the iX500 is able to simultaneously scan up to 50 two-sided pages at a speedy 25 pages per minute.

Scans everything from business cards to A3 sized documents



ScanSnap Carrier Sheets

Use of a carrier sheet enables iX500 users to digitise larger documents (A3/B4), as well as magazine and newspaper clippings and photographs. Such document containing carrier sheets can be scanned successively or mixed in with regular paper documents.

Intuitive "Quick Menu" for intelligent and flexible operation

The Quick Menu can be set up to display your 'Favourite' scanning destinations or will 'Recommended' an application; eg. Scan a business card which will then be automatically recognised and a list of business card related applications will be recommended.

Quick Menu for Windows® OS



Quick Menu for Mac OS Users



Create editable Microsoft[®] Word / Excel[®] / PowerPoint[®] files

	Top-class OCR engine
Bundled	ABBYY FineReader for ScanSnap [™]



Scan to

Google Docs

ScanSnap Folder, simplifying scanning to your favourite applications

Does your Windows application have an import or browse command? If so you can now easily scan directly to this application even when no scanning interface is available assuming it supports pdf or jpg. Simply browse to the new 'ScanSnap Folder' within your local computer, hit the blue scan button and your document will then be automatically imported into your application and then deleted from 'ScanSnap Folder'.

For further information please visit www.ScanSnapit.com

Generates editable PDF files

- Comes bundled with Adobe® Acrobat® Standard, which enables users to move beyond merely "seeing" and "printing" generated data, to editing generated PDF files however they like
- Generates password and digital ID attached PDF files that are ideal for safeguarding personal information and other confidential information that needs to be protected

Bundled Windows Perfect for everything from PDF creation to application
OS only ADOBE® ACROBAT® STANDARD

Seamless linking to Cloud services

The iX500 offers direct interaction with your cloud service allowing you to access your documents from any device and at any time or anywhere. The iX500 supports direct scanning to Evernote, Dropbox, Google Docs[™], Salesforce and SugarSync.

Efficiently organises business card information

Scans large volumes of business cards into digital business card holders

В

Enables users to enter scanned data into Excel®, Outlook Express, Salesforce and other databases for future reference

	Business card scanning software
undled	CardMinder™

ScanSnap iX500 Deluxe includes Windows only Rack2-Filer Smart and Magic Desktop

Rack2-Filer Smart allows you to save your scanned and existing digital data in realistic looking bookcases and files that can then be easily retrieved and flipped through the way you may with regular files.

Scan to ScanSnar

Organizer (Windows only)

Access and utilise this data anywhere whether through your cloud services or if via a smart device, you can edit, add a comment and then save or redistribute.

Magic Desktop enables you to organise / edit image files or scan data imported from ScanSnap in a workspace simulating an actual desktop. You can seamlessly organise your work by categorising data per group and you can also share information with a group with the communication function that links with Facebook.

Scan via WiFi to your devices

The iX500 now offers the unique ability to link directly with your PC, Mac, iPad[®], iPhone[®], Android[™] and Kindle[™] devices via a WiFi connection.



Scan to Magic Deskto

Fitted with a newly developed GI processing engine the iX500 means that users can now wirelessly operate the scanner via their Smart Device and the ScanSnap Connect Application^{*} creating high quality scanned images that can be saved to the device, manipulated, retrieved at a later date and distributed.

* ScanSnap Connect Application is available as a free download from the official application distribution service of the device (Google Play, Apple App Store and Amazon App Store).

Enhanced scanning environment centred around a new "GI" image processing engine



The iX500 comes with an inbuilt dual core CPU that takes ScanSnap to that next performance level

- Scan wirelessly to a PC or Mac as well as to a smart device
- Enhanced scanning speeds independent of target device and connectivity
- Offers a paper feeding performance that you would expect with a high speed, high volume device, enhanced through USB 3.0 support

* ScanSnap Connect Application is available as a free download from the official application distribution service of the device (Google Play, Apple App Store and Amazon App Store).

ScanSnap iX500 Specifications

Model		ScanSnap iX500		
Supported operating systems		Supports Windows and Mac OS, see http://www.scansnap.fujitsu.com/g-support/en for further information	-	
Scanner type		ADF (automatic document feeder)		
Scanning modes		Simplex / Duplex scanning, Colour / Greyscale / Mono / Automatic (colour / greyscale / mono detection)*3	-	
Image sensor		CIS (contact image sensor) x 2		
Light source		3 Colour LED (red / green / blue)	-	
	Auto mode ^{*2}	Simplex: 25 ppm, Duplex: 50 ipm		
	Normal mode	Simplex (colour / greyscale 150 dpi) (mono 300 dpi): 25 ppm, Duplex (colour / greyscale 150 dpi) (mono 300 dpi): 50 ipm	*1 Scanning speeds may vary due to the system environment used	
Scanning speed ^{*1}	Better mode	Simplex (colour / greyscale 200 dpi) (mono 400 dpi): 25 ppm, Duplex (colour / greyscale 200 dpi) (mono 400 dpi): 50 ipm		
(A4 Portrait)	Best mode	Simplex (colour / greyscale 300 dpi) (mono 600 dpi): 25 ppm, Duplex (colour / greyscale 300 dpi) (mono 600 dpi): 50 ipm	*2 Documents measuring approximately	
	Excellent mode*3	Simplex (colour / greyscale 600 dpi) (mono 1,200 dpi): 7 ppm, Duplex (colour / greyscale 600 dpi) (mono 1,200 dpi): 14 ipm	148 mm in length or less are scanned in	
	Normal mode without carrier sheet	A4, A5, A6, B5, B6, business card, postcard, letter, legal and custom sizes	"Best mode", while other documents are	
N	Normal mode without carrier sheet	Minimum : 50.8 x 50.8 mm / Maximum : 216 x 360 mm / Automatically recognises document size	scanned in "Better mode" - *3 Only computer connection	
Document size	Normal mode with carrier sheet*3	Use of a carrier sheet permits the scanning of A3, B4, double letter and photographs as well as the document sizes that are listed above	 Main the initial computer connection Main the initial computer connection Main the initial computer connection 	
	Long paper scanning ^{*4}	863 mm in length	that exceed A4 size in length. This function is	
• · · · · · · · ·		40 to 209 g/m ² / A8 size: 127 to 209 g/m ²	available for all modes except Excellent mod	
Recommended paper weigh	nt	Cards can be scanned (portrait / landscape), non-embossed : 0.76 mm or less / embossed (ISO7810 conforming)	*5 Maximum capacity varies, depending upon	
Paper chute capacity*5		50 sheets (A4: 80 g/m ²)	paper weight	
Interface*6		USB 3.0 (USB 2.0, USB 1.1 Supported)	*6 Some computers may not recognise the	
	Observed standards	IEEE802.11b / IEEE802.11g / IEEE802.11n	iX500 when it is connected to a USB 3.0 port	
	Communication mode	Infrastructure mode	In this case, please use a USB 2.0 port ^{*7} Only Android™ / iOS in case	
	Frequency ^{*8}	2.412 GHz to 2.462 GHz / 2.412 GHz to 2.472 GHz	 'Only Anarola'' / IOS in Case of WiFi connection '8 Values depends on country '9 IEEE802.1X Authentication is not supported 	
WiFi interface*7	Communication distance	Indoors, 50 m (recommended: indoors, within 25 m) May vary depending on the surrounding environment and the access point to be connected		
	Security*9	WPA-PSK (TKIP/AES/AUTO), WPA2-PSK (AES), WPA-PSK, WPA2-PSK (AES/AUTO), WPA (TKIP/AES/AUTO), WPA2 (AES), WPA, WPA2 (AES/AUTO), SharedKey (WEP 64-bit/128-bit), 802.1X (WEP 64-bit/128-bit)	*10 Excluding the stacker and other external attachments	
	Easy installation	WPS2.0 supported (button / PIN code)	*11 PFU LIMITED, a Fujitsu company, has	
Power requirements		AC 100 to 240V, 50 / 60Hz	 determined that this product meets RoHS requirements (2011/65/EU) 	
•	USB connection	Operating: 20W or less (Sleep mode: 1.6W or less) Auto Standby (OFF) mode: 0.4W or less	^{*12} PFU LIMITED, a Fujitsu company,	
Power consumption	WiFi connection	Operating: 20W or less (Sleep mode: 2.5W or less) Auto Standby (OFF) mode: 0.4W or less	has determined that this product meets	
Operating environment		Temperature: 5 to 35 °C / Relative humidity: 20 to 80 % (Non-condensing)	Ecodesign Directive requirements	
Dimensions (W x D x H) 10 / Weight		292 x 159 x 168 mm / 3kg	(2009/125/EC)	
Environmental compliance		ENERGY STAR [®] / RoHS ⁺¹¹ / Ecodesign ⁺¹²	⁻¹³ The software is available to be	
Driver		Specific driver (Does not support TWAIN / ISIS™)	 downloaded from the ScanSnap website http://scansnap.fujitsu.com/q-support/en/ 	
Other	Double-feed detection	Ultrasonic double-feed detection sensor		
VIICI				

ASSURANCE PROGRAM

"Adobe", "Acrobat" and the Adobe PDF logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

> ENERGY STAR® compliant

Adobe

Bundled software	Purpose	Software	PC Compatible	MAC Compatible
	Scanner driver	ScanSnap Manager	1	1
	File management	ScanSnap Organizer	1	
	Business card management	CardMinder [™]	1	1
	PDF editing	Adobe [®] Acrobat [®] Standard	1	
	Text recognition	ABBYY FineReader for ScanSnap [™]	1	1
	Cloud	Evernote	1	1
	ECM linkage software	Scan to Microsoft [®] SharePoint ^{®*13}	1	

Part number	Remarks	
CON-5656-001A	1 x pick roller; 1 x brake roller; total maximum lifetime 200,000 documents or 1 year	
SC-CLE-SS	24 cleaning fluid impregnated wipes	
PA03360-0013	5 carrier sheets	
PA03951-0651	Intended for ScanSnap iX500, S1500, S1500M, S510, S510M, S500, S500M	
	CON-5656-001A SC-CLE-SS PA03360-0013	

All names, manufacturer names, brand and product designations are subject to special trademark rights and are manufacturer's trademarks and/or registered brands of their respective owners. All indications are non-binding. Technical data is subject to change without prior notification. Apple iPad, iPhone, iPod touch and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

PFU Imaging Solutions PFU Imaging Solutions PFU Imaging Solutions Europe Limited Frankfurter Ring 211 Europe Limited Hayes Park Central Europe Limited Via Nazario Sauro, 38 Hayes End Road, Hayes 80807 Munich 20099 Sesto San Giovanni (MI) Middlesex UB4 8FE Germany Italy United Kingdom +44 (0)20 8573 4444 +44 (0)20 8573 2643 +49 (0)89 32378 0 +49 (0)89 32378 100 +39 0226294 1 Tel: Tel: Tel: +39 0226294 201 Fax: Fax: Fax: www.ScanSnapit.com **FSU** FU

(EN) © Copyright 1993-2014. PFU Imaging Solutions Europe Limited. All rights reserved. R 06.14 / Portal Version