



X746de

Lexmark X740 Series


Robust colour MFPs for productive workgroups.

The Lexmark X740 Series colour laser MFPs increase efficiency and deliver high-quality colour documents. Security controls and workflow-enhancing solutions make high-volume printing easy and secure.

Robust high-quality colour

Rely on Lexmark X740 Series colour laser MFPs for the high-quality colour printing, scanning and copying essential to business. Speed and reliability mean minimal waiting and few interruptions. You consistently and quickly receive vibrant documents.

- ▶ Match corporate colours on marketing collateral and brand-sensitive text and graphics with Lexmark Named Colour Replacement and PANTONE® calibration.
- ▶ Lexmark cartridges let you print up to 12,000 pages per cartridge in black and 7,000 pages per cartridge in colour.*



- ▶ Print and copy quickly at speeds up to 33 ppm and a time to first page as fast as 9 seconds in both black and colour.
- ▶ The high-speed processor, 512MB RAM and Gigabit Ethernet networking mean fast data transfer and fast processing, even on complex colour documents.
- ▶ Ultra-reliable paper feeding supports diverse media, including card stock, vinyl labels, banners and more.
- ▶ The easy-to-use 17.8 cm colour touch screen provides audible feedback and tablet-like navigation to make device operation intuitive and simple.
- ▶ Expand input capacity with optional drawers that let you load multiple media types and boost total input capacity up to 4,300 sheets.
- ▶ Quickly print and copy documents using the instant warm-up fuser that also reduces energy consumption.

Productivity made easy

The combination of easy-to-use features and reliable performance means business processes are intuitive and you are productive. Increase efficiency with workflow-enhancing solutions and shortcuts designed to reduce unnecessary printing and simplify processes.

- ▶ Create customised messages to provide helpful information such as helpdesk telephone numbers.
- ▶ Easily manage supplies through programmable alerts that automatically send reorder notifications.

* Average continuous black or composite CMY declared cartridge yield in accordance with ISO/IEC 19798.



Security is standard

With Lexmark X740 Series colour laser MFPs, printing is secure and sensitive information is protected. Advanced security controls provide the peace of mind that valuable business data is protected at every stage: from user authentication to security audits and disk wiping.**

- ▶ User authorisation lets you customise personal access rights based on user login and group membership, including LDAP groups.
- ▶ Protect sensitive data sent to the device with IPSec, SNMPv3 and 802.1x network security protocols and hard disk encryption.**
- ▶ Remove sensitive data using automatic, scheduled or manual disk wiping that complies with government security standards.**
- ▶ Security-audit logging tracks and identifies security risks.
- ▶ Increase the security of scanned documents with PDF 1.6 support.

Protecting your information

From the data traveling through your network to the pages being printed, Lexmark's innovative security controls give you peace of mind that your valuable corporate data is protected at every stage.

- ▶ Cutting-edge user authentication and authorisation controls, including LDAP, help protect your device and data
- ▶ Card reader option to add an extra layer of security

- ▶ Hard disk encryption protects sensitive data on the disk drive
- ▶ Automatic, scheduled or manual disk wiping
- ▶ IPSec, SNMPv3 and 802.1x network security supported
- ▶ Security-audit logging to help track and identify security risks

True image always

Lexmark is dedicated to designing and manufacturing products that deliver exceptional quality and reliable performance. Maximise the return on your investment, extend the service life of your Lexmark printing equipment and make a lasting impression by always insisting on Lexmark Genuine Supplies, Service and Parts. Lexmark X748 Series colour laser printers are backed by a one-year limited warranty. For further protection against unexpected expenses or downtime, extended warranty offerings are available.

** Hard disk is required to support disk wiping and encryption.



Save time and money through solutions

Reduce unnecessary printing and simplify work processes through Lexmark solutions. The X740 Series features the Lexmark Embedded Solutions Framework (eSF), our platform that enables you to add a wide range of software applications directly onto the device. Solutions are designed with your productivity in mind, helping you streamline—or even eliminate—paper intensive business processes.

Preloaded solutions* on the X740 Series:



Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



Scan to Network

Scan a hardcopy document and route the image to one of 100 predefined personal or public shared network folders.



Change Language**

Easily switch the language displayed on the touch screen—18 languages supported.

Examples of solutions available through Lexmark authorised partners and dealers, or through a Lexmark Professional Services engagement:



Background and Idle Screen

Change the touch screen background to your corporate logo, a unique message or select one of four available screens.



Showroom

Display a customisable, scrolling slideshow on the colour touch screen to promote your business or products, or to communicate important messages to your customers or employees.



Card Copy



Save time and effort in copying identification cards, licenses and insurance cards by automatically scanning, enlarging and printing both sides of a two-sided card onto one side of a sheet of paper.

* Additional solutions are available
** Opt-in to Change Language during installation

Lexmark X740 Series features

- Standard
- Optional

The line art features the standard set-up that can be different per model.



Product specifications	Lexmark X746de	Lexmark X748de
Print		
Display	Lexmark e-Task 17.8 cm (7-inch) colour touch screen	
Print Speed: Up to	Black: 33 ppm / Colour: 33 ppm	
Time to First Page: As fast as	Black: 9 seconds / Colour: 9 seconds	
Print Resolution	Black: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi) / Colour: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi)	
Memory	Standard: 512 MB / Maximum: 1536 MB	
Hard Disk	Option available	Included in configuration
Recommended Monthly Page Volume ²	3000 - 10000 pages	
Maximum Monthly Duty Cycle: Up to ³	100000 pages per month	
Copy		
Copy Speed: Up to	Black: 33 cpm / Colour: 33 cpm	
Time to First Copy: as fast as	Black: 13 seconds / Colour: 13.5 seconds	
Scan		
Scanner Type / ADF Scan	Flatbed scanner with ADF / RADF (reversing Duplex)	
A4/Ltr Duplex Scan Speed: Up to	Black: 12 / 12 sides per minute / Colour: 12 / 12 sides per minute	
A4/Ltr Simplex Scan Speed: Up to	Black: 34 / 35 sides per minute / Colour: 33 / 35 sides per minute	
Fax		
Modem Speed	33.6 Kbps	
Supplies		
Supplies Yield ¹	12,000-page Black High Yield Toner Cartridge, 7,000-page Colour (CMY) Toner Cartridges	10,000-page Colour High Yield Toner Cartridges (CMY), 12,000-page Black High Yield Toner Cartridge, 7,000-page Colour (CMY) Toner Cartridges
Photoconductor Estimated Yield: Up to ⁴	20,000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage	
Cartridge(s) Shipping with Product ¹	6,000-page Black Starter Return Program Toner Cartridge, 6,000-page Colour (CMY) Starter Return Program Toner Cartridges	10,000-page Colour (CMY) High Yield Return Program Toner Cartridges, 12,000-page Black High Yield Return Program Toner Cartridge
Paper Handling		
Paper Handling Standard	250-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray	
Paper Handling Optional	550-Sheet Drawer, 2,000-Sheet High Capacity Feeder, 550-Sheet Specialty Media Drawer	
Paper Input Capacity: Up to	Standard: 650 pages 75 gsm bond / Maximum: 4300 pages 75 gsm bond	
Paper Output Capacity: Up to	Standard: 250 pages 75 gsm bond / Maximum: 250 pages 75 gsm bond	
Media Types Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Vinyl Labels, Refer to the Card Stock & Label Guide.	
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, B5, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6	
General Information		
Standard Connectivity	USB 2.0 Specification Hi-Speed Certified (Type B), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Rear USB 2.0 Specification Hi-Speed Certified port (Type A), Ethernet 10/100/1000 BaseTX (RJ-45)	
Optional Network Ports / Optional Local Ports	Internal MarkNet™ N8250 802.11b/g/n Wireless / Internal RS-232C serial, Internal 1284-B Bidirectional Parallel	
Noise Level: Operating	Print: 59 dBA / Copy: 59 dBA / Scan: 54 dBA	Print: 57 dBA / Copy: 58 dBA / Scan: 54 dBA
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 3048 Meters (10,000 Feet)	
Product Guarantee	1-Year Onsite Service, Next Business Day	
Size (mm - H x W x D) / Weight	787 x 546 x 622 mm / 44.0 kg	787 x 546 x 622 mm / 44.2 kg

¹Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798. ²Recommended Monthly Page Volume² is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ³Maximum Monthly Duty Cycle³ is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPS. ⁴Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity.

This is a Class A device according to the FCC Rules and EN 55022/EN 55032 emissions standards. This device is not intended for use in residential or domestic environments due to potential interference to radio communications.

© 2016 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.

